


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS

REV	DESCRIPTION	DATE	INITIAL	APPROVED
-----	-------------	------	---------	----------



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
		B/O	-1	1	BOTTOM TOOL CUSHION	Y-20 BLACK	16.90 X 21.87 X 6.04 I.R. SPECIALTIES	2
		B/O	-3	1	TOP TOOL CUSHION	C200, BLACK, FLAT	16.80 X 21.77 X 1.67 I.R. SPECIALTIES	3
		B/O	-5	1	PLACARD	PLASTIC	1/16 X 9 X 8	4
		B/O	-7	1	CASE	PLASTIC	PELICAN #APP-1600-E	1
			-9	1	SET OF BLOCKS A.P.		RBE332A94-2702-02	1
			-11	1	SET OF BLOCKS TAIL ROTOR		RBE332A94-2791-00	1
			-13	1	PEDAL ALIGNMENT RIG		RBE332A94-2704-00	1
			-15	1	SPANNER PITCH CONTROL ROD		RBE332A94-2711-20	1
			-17	1	SLEEVE INCIDENCE MEASURE		RBE332A94-2793-00	1
			-19	1	FLIGHT CONTROL SETTING ROD		RBE332A94-2792-00	1
			-21	1	COLLECTIVE PIN		RBE332A94-2701-11	1
			-23	1	ANICIPATOR AND YAW POTENTIOMETER LOCKING PIN		RBE332A94-2708-00	1

NOTE:
REF. EUROCOPTER T/N: 332A94-2790-00.






RED BARN MACHINE

TITLE FLYING CONTROL RIGGING KIT

DWG NO.	RBE332A94-2790-00	REV	
MAT'L	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: GILBERT	APPROVED D Weil
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AS332	
SCALE 1:8	DATE 9/12/2011	SHEET 1 OF 4	




REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



		RED BARN MACHINE	
TITLE FLYING CONTROL RIGGING KIT			
DWG NO. RBE332A94-2790-00-1			REV
MAT'L Y-20 BLACK		DRAWN BY: GILBERT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>	
.XXX ± .005 .XX ± .01 .X ± .1		FRACTIONS ± 1/32 ANGLES ± 5°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		HEAT TREAT FINISH	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SPEC	
		USED ON MODEL	
		AS332	
SCALE 1:3	DATE 9/12/2011	SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



SECTION A-A

(-3)

TOP TOOL CUSHION

 RED BARN MACHINE	
TITLE FLYING CONTROL RIGGING KIT	
DWG NO. RBE332A94-2790-00-3	REV
MAT'L C200, BLACK, FLAT	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS332
SCALE 1:8	DATE 9/12/2011
SHEET 3 OF 4	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISONS

REV	DESCRIPTION	DATE	INITIAL	APPROVED
-----	-------------	------	---------	----------

FLYING CONTROL RIGGING KIT RBE332A94-2790-00

ITEM	PART NUMBER	DESCRIPTION	QUANTITY
	RBE332A94-2702-02	SET OF BLOCKS A.P. INCLUDING	1
1		1. BLOCK ASSY (COLLECTIVE CONTROL)	
2		1. BLOCK ASSY (LONGI. CONTROL)	
3		1. BLOCK ASSY (LATERAL CONTROL)	
4		1. BLOCK ASSY (YAW CONTROL)	
	RBE332A94-2791-00	SET OF BLOCKS TAIL ROTOR INCLUDING	1
5		1. RETURN BLOCK	
6		1. LOW PITCH BLOCK CHECK	
7	RBE332A94-2704-00	TOOL PEDAL ALIGNMENT	1
8	RBE332A94-2711-20	SPANNER PITCH CONTROL ROD	1
9	RBE332A94-2793-00	SLEEVE INCIDENCE MEASURE	1
10	RBE332A94-2792-00	FLIGHT CONTROL SETTING ROD	1
11	RBE332A94-2701-11	COLLECTIVE PIN	1
12	RBE332A94-2708-00	ANTICIPATOR AND YAW POTENTIOMETER LOCKING PIN	1



(5)
PLACARD

RED BARN MACHINE	
TITLE FLYING CONTROL RIGGING KIT	
DWG NO. RBE332A94-2790-00-5	REV
MAT'L PLASTIC	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AS332
SCALE 1:2	DATE 9/12/2011
SHEET 4 OF 4	